



Foodservice Establishment Inspection Report

Establishment Information	
Facility Name GRANARY	Facility Type Restaurant
Facility ID # MWAN-7S2Q4X	Facility Telephone # 715 385-3736
Facility Address 5367 PARK ST BOULDER JUNCTION , WI 54512	
Licensee Name BOULDER JUNCTION GRANARY LLC	Licensee Address PO BOX 676 BOULDER JUNCTION , WI 54512

Inspection Information		
Inspection Type Routine	Inspection Date 04/21/2016	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Superior Cooler	39
Walk-In Cooler	32.5
Superior Cooler Prep	30

Food Temperatures	
Description	Temperature (Fahrenheit)
Sliced Onions CH	37
Sliced Tomatos CH	40

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	Temperature
AFC-3D	Low Temperature Sanitizer				Sodium Hypochlorite	

Certified Manager		
Name PAMELA J HOFFMAN	Certificate # DOGD-9GSBN3	Certificate Expiration 5/27/2019

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations

Total # 2

Risk/Intervention - 14 - Food-contact surfaces: cleaned and sanitized

This is a priority item

OBSERVATION: Sanitizer in dishwasher is at 20ppm.

CORRECTIVE ACTION(S): Provide training to employees on proper use and concentration of sanitizer or repair or adjust warewashing equipment to provide proper sanitizer concentration.

CODE CITATION: 4-501.114 A chemical SANITIZER used in a SANITIZING solution for a manual or mechanical operation at contact times specified under ¶ 4-703.11 (C) shall meet the criteria specified in § 7-204.11 SANITIZERS, Criteria, shall be used in accordance with the EPA-registered label use instructions, and shall be used as follows: [P]

(A) A chlorine solution shall have a minimum temperature based on the concentration and pH of the solution as listed in the following chart; [P]

Concentration	Range	Minimum Temperature mg/L	pH	10 or less °C (°F)	pH	8 or less °C (°F)
25-49	49 (120)	49 (120)				
50-99	38 (100)	24 (75)				
100	13 (55)	13 (55)				

25-49 49 (120) 49 (120)

50-99 38 (100) 24 (75)

100 13 (55) 13 (55)

(B) An iodine solution shall have a:

(1) Minimum temperature of 20°C (68°F), [P]

(2) pH of 5.0 or less or a pH no higher than the level for which the manufacturer specifies the solution is effective, [P] and

(3) Concentration between 12.5 mg/L and 25 mg/L; [P]

(C) A quaternary ammonium compound solution shall: [P]

(1) Have a minimum temperature of 24°C (75°F), [P]

(2) Have a concentration as specified under § 7-204.11 and as indicated by the manufacturer’s use directions included in the labeling, [P] and

(3) Be used only in water with 500 mg/L hardness or less or in water having a hardness no greater than specified by the EPA-registered label use instructions; [P]

(D) If another solution of a chemical specified under ¶¶ (A) to (C) of this section is used, the PERMIT/LICENSE HOLDER shall demonstrate to the DEPARTMENT that the solution achieves SANITIZATION and the use of the solution shall be APPROVED; [P] or

(E) If a chemical SANITIZER other than chlorine, iodine, or a quaternary ammonium compound is used, it shall be applied in accordance with the EPA-registered label use instructions and be approved by the DEPARTMENT. [P]

Good Retail Practices - 54 - Adequate ventilation and lighting designated and used

This is a core item

OBSERVATION: Lights located in dry storage area are not shatter resistant.

CORRECTIVE ACTION(S): Provide shielded, coated, or otherwise shatter resistant light bulbs.

CODE CITATION: 6-202.11 (A) Except as specified in ¶ (B) of this section, light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

(B) Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing FOOD in unopened PACKAGES, if:

(1) The integrity of the PACKAGES cannot be affected by broken glass falling onto them; and


(2) The PACKAGES are capable of being cleaned of debris from broken bulbs before the PACKAGES are opened.

(C) An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.

Comments

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge

Two handwritten signatures in black ink, one to the left and one to the right, both appearing to be cursive and somewhat stylized.

Sanitarian



TAYLOR HAYNES

A handwritten signature in black ink, appearing to be 'Taylor Haynes', followed by the printed name 'TAYLOR HAYNES' in a bold, sans-serif font.