

VILAS COUNTY PUBLIC
HEALTH DEPARTMENT
Environmental Health
330 Court Street
Eagle River, WI 54521
F-45002A (Rev. 09/08)



STATE OF WISCONSIN
s. 97.30, s. 254.61, Subchapter
VII, Wis. Stats.

Retail Food Establishment Inspection Report

Establishment Information	
Facility Name KNOCKERS PIZZA COMPANY INC.	Facility Type Restaurant
Facility ID # BJOA-8FMS98	Facility Telephone # 715 477-0594
Facility Address 438 70 HWY SAINT GERMAIN, WI 54558	
Licensee Name KNOCKER'S PIZZA COMPANY INC.	Licensee Address 1645 LITTLE ISLAND VIEW RD SAINT GERMAIN, WI 54558

Inspection Information		
Inspection Type Routine	Inspection Date October 24, 2016	Total Time Spent

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In Cooler	29
M3 Turbo Air Cooler	30
True Pizza Cooler	39
Beverage Air Cooler	30
M3 Turbo Air Salad	34

Food Temperatures	
Description	Temperature (Fahrenheit)
Tomatoes CH	31
Green peppers sliced CH	31
Cucumbers CH	37
Lasagna Soup HH	143
Pizza Sauce CH	39

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	Temperature
American Dish Machine	Low Temperature Sanitizer		50		Sodium Hypochlorite	

Certified Manager

Name SHELLEY A HODKIEWICZ	Certificate # KBRN-8UDSBM	Certificate Expiration 12/1/2016
------------------------------	------------------------------	-------------------------------------

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

<p>Observed Violations</p> <p>Total # 1</p> <p>Good Retail Practices - 54 - Adequate ventilation and lighting designated and used This is a core item OBSERVATION: Lights throughout kitchen and dishwashing area are not properly shielded. CORRECTIVE ACTION(S): Provide shielded, coated, or otherwise shatter resistant light bulbs. CODE CITATION: 6-202.11 (A) Except as specified in ¶ (B) of this section, light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES. (B) Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing FOOD in unopened PACKAGES, if: (1) The integrity of the PACKAGES cannot be affected by broken glass falling onto them; and (2) The PACKAGES are capable of being cleaned of debris from broken bulbs before the PACKAGES are opened. (C) An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.</p>

Comments

Any operator aggrieved by an order of this department under this chapter may request a hearing as provided in ch.227 statute, if state licensed, or a local ordinance if licensed by an agent health department.

Person in Charge



Sanitarian



TAYLOR HAYNES